

## **SAFETY DATA SHEET**

Milbemax Tablets for Cats

## Section 1. Identification

Product identifier	:	Milbemax Tablets for Cats
Product code	:	12400000433
Other means of identification		A-11302; CA5015; CGA179246/CGA1114326 FLAV TAL 16+40; Milbemax 16/40; MILBEMAX BROAD-SPECTRUM ALL WORMER TABLETS FOR CATS OVER 2 KG BODYWEIGHT; Milbemax FC 16/40 MG TAL; Milbemax Tablets for Cats; MilbeVet film-coated tablets
Relevant identified uses of t	he s	ubstance or mixture and uses advised against
Identified uses	1	Veterinary product.
Uses advised against	:	None known.
Company Name		Elanco Australasia Pty Ltd 106 Wiri Station Road, Manukau, Auckland 2104, New Zealand
Telephone number	:	+64 0800 352 626
Emergency telephone number		CHEMTREC 0800 293702 (Freephone) CHEMTREC +64 9 801 0034 (Local)
Email	:	elanco_sds@elancoah.com
Transportation Emergency telephone number		CHEMTREC 0800 293702 (Freephone) CHEMTREC +64 9 801 0034 (Local)

## Section 2. Hazards identification

HSNO Approval Number	: HSR100757
HSNO Group Standard	: Not available.
HSNO Classification	: ACUTE TOXICITY (oral) - Category 4 SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1 HAZARDOUS TO SOIL ORGANISMS HAZARDOUS TO TERRESTRIAL INVERTEBRATES

This material is classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

This material is classified as DANGEROUS GOODS according to criteria in New Zealand Standard 5433:2012 Transport of Dangerous Goods on Land.

#### **GHS label elements**

Signal word Hazard statements	: Warning : H302 - Harmful if swallowed.
	H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements	
Prevention	<ul> <li>P273 - Avoid release to the environment.</li> <li>P270 - Do not eat, drink or smoke when using this product.</li> <li>P264 - Wash thoroughly after handling.</li> <li>Do not apply substance to plants if - (a) Bees are foraging; or (b) The plants are in flower or part flower and are likely to be visited by non-target invertebrate pollinators (including bees).</li> <li>Do not apply the substance to a plant if the plant is likely to flower within [***] days.</li> </ul>
Response	: P391 - Collect spillage. P301 + P312, P330 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. Rinse mouth.
Storage	: Not applicable.

## Section 2. Hazards identification

t

Disposal

: P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.

Symbol



Other hazards which do not : None known. result in classification

## Section 3. Composition/information on ingredients

Substance/mixture : Mixture					
Ingredient name	% (w/w)	CAS number			
Praziquantel	≥30 - ≤60	55268-74-1			
Cellulose	≥10 - ≤30	9004-34-6			
Milbemycin, oxime	≥10 - ≤30	129496-10-2			
silicon dioxide	≤3	7631-86-9			
magnesium distearate	≤3	557-04-0			
Talc , not containing asbestiform fibres	≤3	14807-96-6			

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

Description of necessary first aid measures				
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.			
Ingestion	: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.			
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.			
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.			
Most important symptom	s/effects, acute and delayed			
Potential acute health ef	fects			
Inhalation	: No known significant effects or critical hazards.			
Ingestion	: Harmful if swallowed.			

## Section 4. First aid measures

Skin contact	: No known significant effects or critical hazards.	
Eye contact	: No known significant effects or critical hazards.	
<u>Over-exposure signs/symp</u>	<u>oms</u>	
Inhalation	: No specific data.	
Ingestion	: No specific data.	
Skin	: No specific data.	
Eyes	: No specific data.	
Indication of immediate med	cal attention and special treatment needed, if necessary	
Specific treatments	: No specific treatment.	
Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.	
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.	

#### See toxicological information (Section 11)

### Section 5. Firefighting measures

Extinguishing media		
Suitable	1	Use an extinguishing agent suitable for the surrounding fire.
Not suitable	1	None known.
Specific hazards arising from the chemical	:	This material is very toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Hazchem code	1	2Z
Special precautions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.
Methods and material for con	Ita	inment and cleaning up

Small spill: Move containers from spill area. Avoid dust generation. Using a vacuum with<br/>HEPA filter will reduce dust dispersal. Place spilled material in a designated,<br/>labeled waste container. Dispose of via a licensed waste disposal contractor.

## Section 6. Accidental release measures

ż

Large spill

Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

Protective measures	Protective measures		
Protective measures	А ir k	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.	
Advice on general occupational hygiene	h e e	Eating, drinking and smoking should be prohibited in areas where this material is nandled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional nformation on hygiene measures.	
Conditions for safe storage, including any incompatibilities	a s (: re k a	Store between the following temperatures: 2 to 25°C (35.6 to 77°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials see Section 10) and food and drink. Keep container tightly closed and sealed until eady for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for ncompatible materials before handling or use.	

## Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
praziquantel	Elanco OEL (ELANCO).
	TWA: 3 mg/m <sup>3</sup> 8 hours.
Cellulose	NZ HSWA 2015 - GRWM 2016 (New Zealand, 11/2020).
	WES-TWA: 10 mg/m <sup>3</sup> 8 hours.
	EH40/2005 WELs (United Kingdom (UK), 1/2020).
	TWA: 4 mg/m <sup>3</sup> 8 hours. Form: respirable dust
	STEL: 20 mg/m <sup>3</sup> 15 minutes. Form: inhalable dust
	TWA: 10 mg/m <sup>3</sup> 8 hours. Form: inhalable dust
	Safe Work Australia (Australia, 12/2019).
	TWA: 10 mg/m³ 8 hours. Form: fibres
Milbemycin, oxime	Elanco OEL (ELANCO).
	TWA: $0.12 \text{ mg/m}^3 8 \text{ hours.}$
silicon dioxide	NZ HSWA 2015 - GRWM 2016 (New Zealand, 11/2020).
	[Silica-Amorphous: Silica gel]
	WES-TWA: 10 mg/m <sup>3</sup> 8 hours.
	EH40/2005 WELs (United Kingdom (UK), 1/2020).
	[silica, amorphous]
	TWA: 2.4 mg/m <sup>3</sup> 8 hours. Form: respirable dust
	TWA: 6 mg/m <sup>3</sup> 8 hours. Form: inhalable dust
	Safe Work Australia (Australia, 12/2019).
	TWA: 2 mg/m <sup>3</sup> 8 hours. Form: Respirable dust and
	fumes
magnazium diataarata	NZ HSWA 2015 - GRWM 2016 (New Zealand, 11/2020).
magnesium distearate	
	[Stearates]
	WES-TWA: 10 mg/m <sup>3</sup> 8 hours.
	Safe Work Australia (Australia, 12/2019). [Stearates]
	TWA: 10 mg/m <sup>3</sup> 8 hours.
oduct name : Milbemax Tablets for Cats	NZ : ENGLI
rsion :0.03 Date of revision :19 July 2023	Date of previous issue :9 November 2022 4

## Section 8. Exposure controls/personal protection

	EH40/2005 WELs (United Kingdom (UK), 1/2020). TWA: 1 mg/m <sup>3</sup> 8 hours. Form: respirable dust Safe Work Australia (Australia, 12/2019). TWA: 2.5 mg/m <sup>3</sup> 8 hours.
Biological exposure indices	

No exposure indices known.

Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measur	<u>es</u>	
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance			
Physical state		:	Solid. [tablets]
Colour		:	Brownish-red. [Light]
Odour		:	meat
<b>Odour threshold</b>		:	Not available.
рН		:	Not available.
Melting point/fre	ezing point	:	Not available.
Boiling point, ini point, and boiling	-	:	Not available.
Flash point		:	Not applicable.
Product name : Version :0.03	Milbemax T Date of revision :		olets for Cats 9 July 2023

# Section 9. Physical and chemical properties and safety characteristics

Evaporation rate	: Not available.
Flammability	: Not available.
Lower and upper explosion limit/flammability limit	: Not applicable.
Vapour pressure	: Not available.
Relative vapour density	: Not applicable.
Relative density	: Not available.
Solubility(ies)	: Not available.
Solubility in water	: Not available.
Partition coefficient: n- octanol/water	: Not applicable.
Auto-ignition temperature	: Not applicable.
Decomposition temperature	: Not available.
Viscosity	: Not applicable.
Flow time (ISO 2431)	: Not available.
Particle characteristics	
Median particle size	: Not available.

## Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

Information on likely	routes of exposure
Inhalation	: No known significant effects or critical hazards.
Ingestion	: Harmful if swallowed.
Skin contact	: No known significant effects or critical hazards.
Eye contact	: No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

Inhalation	: No specific data.
Ingestion	: No specific data.
Skin contact	: No specific data.
Eye contact	: No specific data.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure Acute toxicity

## Section 11. Toxicological information

Product/ingredient name	Result	Species	Dose	Exposure
Praziquantel	LD50 Dermal	Rat	>2000 mg/kg	-
	LD50 Oral	Rat	2249 mg/kg	-
Cellulose	LD50 Oral	Rat	>5 g/kg	-
Milbemycin, oxime	LC50 Inhalation Vapour	Rat	1220 mg/m <sup>3</sup>	4 hours
-	LD50 Dermal	Rat	2000 mg/kg	-
	LD50 Oral	Rat	456 to 762 mg/kg	-
silicon dioxide	LC50 Inhalation Dusts and mists	Rat	>58.8 mg/l	4 hours
	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-
magnesium distearate	LC50 Inhalation Vapour	Rat	>2000 mg/m <sup>3</sup>	1 hours
-	LD50 Oral	Rat	>10000 mg/kg	-

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
silicon dioxide	Eyes - Mild irritant	Rabbit	-	24 hours 25 mg	-
Talc , not containing asbestiform fibres	Skin - Mild irritant	Human	-	72 hours 300 ug l	-

#### **Sensitisation**

Not available.

#### Potential chronic health effects

General	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Eye contact	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
<b>Developmental effects</b>	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
Chronic toxicity	

Not available.

#### **Carcinogenicity**

Not available.

#### **Mutagenicity**

Not available.

#### **Teratogenicity**

Not available.

#### **Reproductive toxicity**

Not available.

#### Specific target organ toxicity (single exposure) Not available.

Specific target organ toxicity (repeated exposure) Not available.

#### Aspiration hazard

Not available.

#### **Numerical measures of toxicity**

Product name : Version :0.03

## Section 11. Toxicological information

#### Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
Milbemax 16/40	1646.9	N/A	N/A	63.1	N/A
Praziquantel	500	N/A	N/A	N/A	N/A
Milbemycin, oxime	2500	N/A	N/A	11	N/A

## Section 12. Ecological information

: This material is very toxic to aquatic life with long lasting effects.

#### Ecotoxicity Aquatic and terrestrial toxicity

Product/ingredient name	Result	Species	Exposure
praziquantel	Acute EC50 77 mg/l	Algae	72 hours
	Acute EC50 35 mg/l	Crustaceans	48 hours
	Acute LC50 29.22 mg/l Fresh water	Fish - Carassius auratus	96 hours
Milbemycin, oxime	Acute EC50 0.011 mg/l (similar material)	Crustaceans	48 hours
	Chronic NOEC 0.0001 mg/l (similar material)	Crustaceans	21 days
silicon dioxide	Acute EC50 2.2 g/L Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Chronic NOEC 12.5 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	21 days

#### Persistence/degradability

Not available.

```
Bioaccumulative potential
```

Not available.

**Mobility in soil** 

## Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

## Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

	New Zealand - Land - road/ railway	IMDG	IATA
UN number	UN3077	UN3077	UN3077
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Milbemycin Oxime)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Milbemycin Oxime)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Milbemycin Oxime)
Transport hazard class(es)	9	9	9
Packing group			
Environmental hazards	Yes.	Yes.	Yes.
Additional informat	tion		
New Zealand	: <u>Hazchem code</u> 2Z		
IMDG		regulated as a dangerous good he packagings meet the genera .8.	
ΙΑΤΑ		regulated as a dangerous good he packagings meet the genera 2.8.	
Special precautions	<b>for user : Transport within u</b> upright and secure. the event of an acci	Ensure that persons transportin	
Transport in bulk action to the test of te			

HSNO Approval Number	: HSR100757
HSNO Group Standard	: Not available.
HSNO Classification	: ACUTE TOXICITY (oral) - Category 4 SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1 HAZARDOUS TO SOIL ORGANISMS HAZARDOUS TO TERRESTRIAL INVERTEBRATES
Certified handler	: Not required
Tracking	: Not required
ACVM No.	: A008316
Inventory list	
New Zealand	: Not determined.

## Section 16. Other information

<u>History</u>	
Date of issue/Date of revision	: 7/19/2023
Date of previous issue	: 11/9/2022
Version	: 0.03

## Section 16. Other information

Key to abbreviations	<ul> <li>ADG = Australian Dangerous Goods         ADR = The European Agreement concerning the International Carriage of             Dangerous Goods by Road             ATE = Acute Toxicity Estimate             BCF = Bioconcentration Factor             GHS = Globally Harmonized System of Classification and Labelling of Chemicals             IATA = International Air Transport Association             IBC = Internediate Bulk Container             IMDG = International Maritime Dangerous Goods             LogPow = logarithm of the octanol/water partition coefficient             MARPOL = International Convention for the Prevention of Pollution From Ships,             1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)             RID = The Regulations concerning the International Carriage of Dangerous Goods             by Rail             SGG = Segregation Group             UN = United Nations         </li></ul>
References	: Not available.

✓ Indicates information that has changed from previously issued version.

#### Notice to reader

As of the date of issuance, we are providing available information relevant to the handling of this material in the workplace. All information contained herein is offered with the good faith belief that it is accurate. THIS SAFETY DATA SHEET SHALL NOT BE DEEMED TO CREATE ANY WARRANTY OF ANY KIND (INCLUDING WARRANTY OF MERCHANT ABILITY OR FITNESS FOR A PARTICULAR PURPOSE). In the event of an adverse incident associated with this material, this safety data sheet is not intended to be a substitute for consultation with appropriately trained personnel. Nor is this safety data sheet intended to be a substitute for product literature which may accompany the finished product.

For additional information contact: Elanco Animal Health 0011+1-877-352-6261 0011+1-800-428-4441